



Chicago Pneumatic



**People.
Passion.
Performance.**

Compaction Equipment
Durability for Demanding Jobs

TOUGH JOBS DEMAND TOUGH MACHINES

Bridge repair. Road maintenance. Asphalt. Conditions like these demand tough equipment. And Chicago Pneumatic delivers with a complete range of durable solutions you can count on. From tampers to trench rollers, these units are easy to service, made to last and designed to give you the power and performance you need in the toughest conditions — day after day and job after job.



**Chicago
Pneumatic**



Light and Compact for Heavy-Duty Jobs

CP tampers are used in construction, utility and civil applications for compacting cohesive and mixed soils, silt, clay, sand and gravel.

CP's tampers are lighter and more compact, yet deliver CP's trademark performance and durability. Plus, every CP tamper is built to withstand the toughest working conditions while delivering powerful force and hitting power. Efficient shock absorbers and an extra-strong metal frame ensure the ground takes the pounding — not the operator. Along with reliable performance, they also save you time and money with easy maintenance and low fuel consumption.



CONTROL AND CONVENIENCE

The well balanced design helps with handling, and the control lever allows you to switch to idle with one hand.

QUALITY HONDA ENGINE

The Honda engine offers excellent power with low fuel consumption for efficient performance.


All models except MS 840.

OIL LEVEL INDICATOR

The operator can see if the oil level is low at a glance and take the correct action to start the machine.

MULTIPLE SIZES

Available plate widths include 153 mm (6 in), 230 mm (9 in) and 280 mm (11 in) to cover a wide range of applications.



MS 695



MS 840

DIESEL MODEL

MS 840 features a Hatz 1B20 diesel engine.

TAMPERS

	MS 595	MS 595	MS 695	MS 840
Operating Weight kg (lb)	61 (135)	62 (137)	70 (154)	85 (188)
Impact Force kN (lbf)	—	—	—	21 (4,811)
Max. Speed m/min (ft/min)	15-18 (49.2-59)	15-18 (49.2-59)	15-18 (49.2-59)	11.5 (37.7)
Frequency Hz	11.9	11.9	11.9	11.9
Plate Width mm (in)	153 (6)	230 (9.1)	280 (11)	280 (11)
Engine	Honda GXR 120 Gasoline	Honda GXR 120 Gasoline	Honda GXR 120 Gasoline	Hatz 1B20 Diesel
Power at Rated Speed kW at rpm (hp at rpm)	—	—	—	3.0 (4.0)
Sound Power Level Guaranteed* dB(A)	106	106	106	107
Sound Pressure at Operator's Ear* dB(A)	92	92	92	95
H/A Vibrations* m/s ²	6.4	6.4	6.4	11.9
Part Number	3382 0003 70	3382 0003 69	3382 0003 62	4812 0991 38

*Full details of measurement are available in the Safety and Operating Instruction of the product.



Over 100 Years of Experience

Since 1901 the Chicago Pneumatic name has represented high-performance tools and equipment designed for an extensive range of applications. Today, Chicago Pneumatic has a global reach, with local customer centers around the world. Chicago Pneumatic tools and air compressors are tailored to the needs of the industrial, vehicle service, and construction markets. Every day we develop and manufacture new products that are meant to meet your demands not only today, but tomorrow as well.

For more information, please contact your CP partner:



Johnstone Brothers Equipment Corp.
905.796.0636

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.