



People. Passion. Performance.

Compaction Equipment

Durability for Demanding Jobs

Bridge repair. Road maintenance. Asphalt. Conditions like these demand tough equipment. And Chicago Pneumatic delivers with a complete range of durable solutions you can count on. From tampers to trench rollers, these units are easy to service, made to last and designed to give you the power and performance you need in the toughest conditions — day after day and job after job.



Compaction Power in Confined Spaces

A fully hydraulic system makes these units easy to maneuver close to walls and borders. They're ideal for small jobs, repair work and compaction in confined areas.

For pure compaction power, turn to CP walk-behind double drum rollers. They're built for all-day productivity with full hydraulic operation as well as a large water tank that minimizes refills and protects hydraulic components. The world-class oil-cooling system also helps maintain uptime, and the durability in rugged conditions helps ensure a long service life. These units are well suited for compacting thin layers of granular soils and asphalt.

ERGONOMIC DESIGN

An ergonomic handle, stepless forward/backward control and compact design make these units easy to maneuver.

EASY TRANSPORT

Fold-up handles make the unit convenient to transport and store.

LOWER EMISSIONS

A 4-stroke engine with an effective carburetor and a high-capacity air filter allow lower exhaust emissions and reduce service requirements.

STAY PRODUCTIVE 58 liter (12.75 gal)

water tank minimizes refilling stops.

LONG SERVICE LIFE

Hydraulic oil-cooling system reduces unplanned stops and extends machine life.

WALK BEHIND DRUM ROLLERS	MR7005	MR7005 EPA
Operating Weight kg (lb)	765 (1687)	765 (1687)
Centrifugal Force kN (lbf)	21.8 (4,900)	21.8 (4,900)
Max. Forward Speed m/min (ft/min)	60 (196,9)	60 (196,9)
Drum Width mm (in)	650 (25,6)	650 (25,6)
Engine	Hatz 1D42S Diesel	Hatz 1D42S Diesel
Power at Rated Speed kW at rpm (hp at rpm)	7.2 (9.7)	7.2 (9.7)
Sound Power Level Guaranteed* dB(A)	107	107
Sound Pressure at Operator's Ear* dB(A)	88	88
H/A Vibrations* m/s ²	4.1	4.1
Frequency Hz	58	58
Part Number	3382 0005 56	3382 0005 57

*Full details of measurement are available in the Safety and Operating Instruction of the product.



Over 100 Years of Experience

Since 1901 the Chicago Pneumatic name has represented highperformance tools and equipment designed for an extensive range of applications. Today, Chicago Pneumatic has a global reach, with local customer centers around the world. Chicago Pneumatic tools and air compressors are tailored to the needs of the industrial, vehicle service, and construction markets. Every day we develop and manufacture new products that are meant to meet your demands not only today, but tomorrow as well.

For more information, please contact your CP partner: **Johnstone Brothers Equipment Corp.** 905.796.0636

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.

